





## Dial Gauge, Flat Back, ANSI/AGD Type

Item number: 1909AB-62

**Images**



### Description

This is a compact, metric dial indicator. It offers you the following benefits:

- It eliminates the possibility of reading errors due to miscounting multiple revolutions.

### Specification

|                           |                                 |
|---------------------------|---------------------------------|
| Digital/Analog:           | Analog                          |
| Inch-Metric:              | Inch                            |
| Functions:                | ANSI/AGD type                   |
| Type:                     | ANSI/AGD Standard               |
| Delivered:                | with certificate of inspection  |
| Range:                    | 0,04" "                         |
| Range per rev.:           | 0.056"                          |
| Graduation:               | 0.01 mm                         |
| H MPE (Hysteresis):       | 0,00016"                        |
| R MPE (Repeatability):    | ±0,0001"                        |
| Measuring force:          | 0,4-1,4                         |
| MPE first one revolution: | ±0,0005"                        |
| Mass:                     | 70 g                            |
| Stem:                     | 9.52 mm / 0.375"                |
| Contact point:            | Carbide tipped, thread: 4-48UNF |

Accessories

Optional accessories:



Limit Hands (Green) 2 pcs.

Dial Indicator Series 1, Test Indicator  
Art No. 21AAB363



Spindle Lifting Lever

for S-Type and A-Type Serie 1  
Art No. 902100  
£8.20 ex. VAT

### Spindle Lifting Cable

for Indicator, L=500mm  
Art No. 21JZA295



### Spindle Lifting Cable with Auto Stop

for Indicator, L=300mm  
Art No. 21JZA301



#### Standard accessories:

### Bezel Clamp for Dial Gauge

Series 1  
Art No. 21RZA149



#### Spare parts

#### Consumable spares:

### Contact Element Ball Point, 4-48UNF

1/4" Length, Carbide, Inch  
Art No. 21BZB005  
£8.60 ex. VAT



