





CRYSTA-Apex V776

Item number: 191-561

Images





Description

The latest generation CRYSTA-Apex coordinate measuring machines, the new CRYSTA-Apex V Series, is packed with state of the art technology, necessary for performing very accurate measurements at high speed. All new, using Mitutoyo's world-renowned ABS scales, the CRYSTA-Apex V series has a high resistance to environmental conditions and does not require to perform homing upon start-up. SMS capability enables status and service monitoring, ready for use in a Smart Factory environment.

A future proof investment, the CRYSTA-Apex V is capable of tackling any task you might have in the future thanks to its ability to change or add probe systems and software with ease.

Main benefits:

- Proven lightweight bridge-type construction with high rigidity air-bearings on every axis
- High accuracy, high speed and high acceleration
- Temperature sensors for compensation of machine and workpiece from 16° to 26°C and monitoring of the environmental temperature.
- ABS linear scales provide high environmental resistance and saves time at start-up as homing is not necessary
- UC480 controller supporting Multi-sensor and SMS functionality (Smart Measuring System)

Specification

Model:	CRYSTA-Apex V776
Range:	700 x 700 x 600 mm
Accuracy:	E0, MPE from: $(1,7+0,3L/100) \mu\text{m}$
Width:	1,470 mm
Depth:	1700 mm
Height:	2,730 mm
Mass:	1,675 kg
E₀,MPE:	With SP25M: $(1,7+4L/1000) \mu\text{m}$; With TP200: $(1,9+4L/1000) \mu\text{m}$; With TP20: $(2,2+4L/1000) \mu\text{m}$; L = measured length [mm]

Max. drive speed:	519 mm/s (3-axis)
3D Acceleration:	2309 mm/s ²
Air supply:	Pressure = 0,4 MPa
Loading Weight:	800 kg
Loading Height:	800 mm
Digital step:	0.1 µm