





Dial Indicator, Lug Back

Item number: 1911T-10

Images



Description

Compact Type, Extra Small Diameter - Metric


This is a compact, dial indicator with a bezel $\varnothing$ 31 / 36 mm. It offers you the following benefits:

- It is ideal for use in applications where space is limited.

Specification

Digital/Analog:	Analog
Inch-Metric:	Metric
Functions:	ISO type
Delivered:	with certificate of inspection
Range:	2.5 mm
Range per rev.:	1 mm
Graduation:	0.01 mm
MPE any 1/10 revolution:	6.5 μ m
MPE any 1/2 revolution:	10 μ m
MPE any 1 revolution:	11 μ m
MPE measuring range:	13 μ m
H MPE (Hysteresis):	3.5 μ m
R MPE (Repeatability):	3 μ m
Mass:	50 g
Stem:	8 mm
Contact point:	Carbide tipped, thread: M 2.5 x 0.45 mm

Dimensions



- A: 15.5 mm
- B: 42 mm
- C: 31 mm
- D: 12.9 mm
- E: 19.2 mm
- F: 15 mm
- G: 11.5 mm
- I: 5.9 mm
- I: 5.9 mm

Spare parts

Consumable spares:

**Contact Element Ball Point,
M2,5x0,45**

8,3mm Length, Metric

Art No. 21AZA319

£4.10 ex. VAT
