



Dial Indicator, Back Plunger, AGD/ANSI

Item number: 2961T

Images



Description


This is a back plunger type dial indicator with bezel ø 57 mm.

Specification

Digital/Analog:	Analog
Inch-Metric:	Inch
Type:	ANSI/AGD Standard
Delivered:	With certificate of inspection, bezel clamp, limit hands
Range:	0,04 "
Range per rev.:	0.04"
Dial reading:	20-0-20
Graduation:	0.0005"
H MPE (Hysteresis):	0,00016"
R MPE (Repeatability):	±0,0001"
MPE first one revolution:	±0,0005"
Measuring force:	0,4-1,4 N
Mass:	115 g

Stem:	9.52 mm / 0.375"
Contact point:	Carbide tipped, thread: 4-48UNF

Dimensions



Accessories

Optional accessories:



Holding Bar for Back Plunger Indicator

Ø 6 mm, 42 mm Length
Art No. 21AAA166
£3.40 ex. VAT



Holding Bar for Back Plunger Indicator

Ø 6 mm, 81 mm Length
Art No. 136567
£3.40 ex. VAT

Spare parts

Consumable spares:

**Contact Element Ball Point,
M2,5x0,45**

8,3mm Length, Metric
Art No. 21AZA319
£4.10 ex. VAT

**Contact Element Ball Point,
M2,5x0,45**

7,3mm Length, Carbide, Metric
Art No. 901312
£7.70 ex. VAT