



Dial Gauge, ANSI/AGD Type

Item number: 2991A-10

Images




Description

This is a back plunger type dial indicator with bezel ø 57 mm.

Specification

Digital/Analog:	Analog
Inch-Metric:	Inch
Type:	ANSI/AGD Standard
Delivered:	With certificate of inspection
Range:	0,008 "
Range per rev.:	0.008"
Dial reading:	4-0-4
Graduation:	0.0001"
H MPE (Hysteresis):	0,0001"
R MPE (Repeatability):	±0,00005"
MPE first one revolution:	±0,0002"
Measuring force:	0,4-1,5 N
Mass:	205 g
Stem:	9.52 mm / 0.375"
Contact point:	Carbide tipped, thread: 4-48UNF

Dimensions



Accessories

Optional accessories:



Holding Bar for Back Plunger Indicator

Ø 8 mm, 81 mm Length
Art No. 136568
£3.40 ex. VAT



Limit Hands (green) 2pcs

Dial Indicator Series 2/3/4
Art No. 21AZB195



Holding Bar for Back Plunger Indicator

Ø 6 mm, 42 mm Length
Art No. 21AAA166
£3.40 ex. VAT



Holding Bar for Back Plunger Indicator

Ø 6 mm, 81 mm Length
Art No. 136567
£3.40 ex. VAT



Holding Bar for Back Plunger Indicator

Ø6,35mm, 81mm Length
Art No. 124625
£3.40 ex. VAT



Holding Bar for Back Plunger Indicator

Ø6,35mm, 42mm Length
Art No. 21AAA167
£3.40 ex. VAT



Holding Bar for Back Plunger Indicator

Ø 8 mm, 42 mm Length
Art No. 21AAA168
£3.40 ex. VAT

Spare parts

Consumable spares:



Contact Element Ball Point, 4-48UNF

1/4" Length, Carbide, Inch

Art No. 21BZB005

£8.60 ex. VAT