



Dial Gauge, Flat Back, ANSI/AGD Type

Item number: 3803AB-10

Images



Description

This is a standard, inch dial indicator. It offers you the following benefits:


- Large-diameter dial face $\varnothing = 78\text{ mm}$ for easy reading
- Supplied with limit markers and a bezel clamp as standard
- $0.001'' / 0.0001''$ graduation

Specification

Digital/Analog:	Analog
Inch-Metric:	Inch
Delivered:	With certificate of inspection, bezel clamp
Range:	0,025 "
Range per rev.:	0.01"
Dial reading:	0-5-0
Graduation:	0.0001"
H MPE (Hysteresis):	0,0001"
R MPE (Repeatability):	$\pm 0,00003''$

MPE first one revolution:	±0,0001"
MPE first 2 1/2 revolutions:	±0,0001"
Type:	ANSI/AGD Standard
Measuring force:	0,4-2 N
Mass:	245 g
Stem:	9.52 mm / 0.375"
Contact point:	Carbide tipped, thread: 4-48UNF
Balanced dial:	Yes
Continuous dial:	Yes
Shockproof:	Yes

Dimensions



A: 2.41 inch

B: 2.35 inch

C: 3.07 inch

D: 0.7 inch

E: 3/4 inch

F: 0.5 inch

G: 0.32 inch

H: 2.8 inch

I: 0.35 inch

Accessories

Optional accessories:



Limit Hands (green) 2pcs

Dial Indicator Series 2/3/4
Art No. 21AZB195



Spindle Lifting Lever

for Digital Indicator, A-Type Dial Indicator
Serie 2/3/4

Art No. 21EZA198

£7.70 ex. VAT



Spindle Lifting Cable

for Indicator, L=500mm

Art No. 21JZA295



Spindle Lifting Cable with Auto Stop

for Indicator, L=300mm

Art No. 21JZA301

Standard accessories:



Bezel Clamp for Dial Gauge

Inch, Series 2/3/4

Art No. 21RZA065

£2.30 ex. VAT

Spare parts**Consumable spares:**

**Contact Element Ball Point, 4-48UNF**

1/4" Length, Carbide, Inch

Art No. 21BZB005

£8.60 ex. VAT
