



2-Point Inside Measuring Instrument

Item number: 511-207-20

Images



Description

These are bore gauges that automatically self-centre via a centring bridge. They offer you the following benefits:


- A long plunger stroke gives you amazing accuracy.
- Interchangeable washers 0.5 mm thick are supplied as standard accessories, so you can enable setting in small steps.
- Contact points are carbide (>18 mm range), giving you high durability and wear resistance.
- A large grip reduces heat transfer from the operator by 50%.

Features

Inch-Metric:	Inch
Digital/Analog:	Analog
Range:	0.4 - 0.74 "
Graduation:	0.0005"
Stroke of contact point:	0.6 mm
Measuring depth:	4"
No. Dial Indicator:	2922AB
Number of anvils:	9
Accuracy:	5 µm
Repeatability:	2 µm
Measuring force:	≤2 N

Delivered:	In a box with bore gauge 511-205, dial indicator 2922AB, plastic cover for indicator 21DZA000, 9 anvils, 1 interchangeable washer
Mass:	252 g

Dimensions



Accessories

Optional accessories:



Digital Indicator, Bore Gauge ID-C

ASME/ANSI Type, Inch/Metric, 0,5", 0,00005", Flat Back Plate
Art No. 543-312B-10
Suggested retail price: 563.00 €*



Limit Hands (green) 2pcs

Dial Indicator Series 2/3/4
Art No. 21AZB195
Price on application

Standard accessories:

**Anvil 10-11mm/511**

Art No. 204356

Price on application

**Anvil 11-12mm/511**

Art No. 204357

Price on application

**Anvil 12-13mm/511**

Art No. 204358

Price on application

**Anvil 13-14mm/511**

Art No. 204359

Price on application

**Anvil 14-15mm/526**

Art No. 204360

Price on application

**Anvil 15-16mm/511**

Art No. 204361

Price on application

**Anvil 16-17mm/511**

Art No. 204362

Price on application

**Anvil 17-18mm/511**

Art No. 204363

Price on application

**Anvil 18-18.5mm/511**

Art No. 204364

Price on application

**Washer (0.5mm)/511**

Art No. 204355

Price on application

«

<

1

2

>

»

SHOW LESS