



Dial Test Indicator, Horiz. 20° Face

Item number: 513-442-16A

Images



Description

This is a Dial Test Indicator (Lever Type) which offers you the following benefits:

- Drastically enhanced durability, sensitivity and visibility.
- Glare-free flat crystal face allows easy reading of graduations.
- O-ring seal on the bezel has the effect of providing smooth rotation and prevents dust and oil from penetrating through to the dial face.
- The stylus length is on the dial face to reorder a replacement
- Multi-layer coatings on the crystal.

Specification

Digital/Analog:	Analog
Inch-Metric:	Inch
Delivered:	In a box with stem $\varnothing 3/8"$ (9.52 mm) / 0.157" (4 mm), stylus $\varnothing 0.039"/0.079"/0.118"$
Range:	0,06 "
Dial reading:	0-15-0
Graduation:	0.0005"
H MPE (Hysteresis):	0.0002"
R MPE (Repeatability):	$\pm 0.0002"$
MPE first one revolution:	$\pm 0.0005"$
MPE first 2 1/2 revolutions:	$\pm 0.0005"$
Measuring force:	0,01-0,3 N
Mass:	48 g
Contact point:	Thread M 1.7 x 0.35
Remarks:	Plus set

Accessories

Optional accessories:

**Limit Hands (Green) 2 pcs.**

Dial Indicator Series 1, Test Indicator
Art No. 21AAB363

Standard accessories:**Point Dia 2mm/513**

L=0.76"
Art No. 133195

**Stem for Standard Type Series 513**

D=4mm
Art No. 21CAB106
£7.80 ex. VAT

**Stylus for Series 513**

Ø0,04", 0,79" length, Steel
Art No. 133196
£6.20 ex. VAT

Art No. 21CAB105

**Stylus for Series 513**

Ã 0,12",0,79" length, Steel

Art No. 133197

£6.20 ex. VAT

**Knurled Clamp Ring for Stem**

Lever Indicator Serie 513

Art No. 190322

£4.50 ex. VAT

**Spare parts****Consumable spares:****Point Dia 2mm/513**

L=0.76"

Art No. 133195



