





Dial Test Indicator, Pocket Type

Item number: 513-503-10E

Images



Set Configuration: Metric



Description


This is a small type Dial Test Indicator (Lever Type) which offers you the following benefits:

- Reversible measuring direction (clutch type)
- Jeweled bearings assure higher sensitivity and accuracy.

Specification

Digital/Analog:	Analog
Inch-Metric:	Metric
Delivered:	In a box with stem ø8 mm, stylus ø2 mm
Range:	0.2 mm
Dial reading:	0-100-0
Graduation:	0.002 mm
H MPE (Hysteresis):	2 mm
MPE any 10 scale divisions:	2 µm
MPE any 1/2 revolution:	3 µm
MPE measuring range:	3 µm
R MPE (Repeatability):	1 µm
Measuring force:	≤ 0,4 N
Carbide stylus tip ø2 mm No.:	103010
Contact point:	Thread M 1.7 x 0.35
Remarks:	Basic set

Dimensions

**L1:** 14.7 mm**L2:** 11.2 mm**C:** 51.4 mm

Accessories

Optional accessories:



Limit Hands (Green) 2 pcs.

Dial Indicator Series 1, Test Indicator
Art No. 21AAB363

Standard accessories:



Stem for Serie 513

D= 8mm
Art No. 102822
£4.20 ex. VAT



Stylus for Serie 513

D= 2mm, 11,2mm Length, Carbide
Art No. 103010
£10.30 ex. VAT

**Spanner R=7,3/4,5mm**

Micrometer

Art No. 301336

£2.00 ex. VAT