




Dial Test Indicator, Pocket Type

Item number: 513-504-10E

Images



Description


This is a small type Dial Test Indicator (Lever Type) which offers you the following benefits:

- Reversible measuring direction (clutch type)
- Jeweled bearings assure higher sensitivity and accuracy.

Specification

Digital/Analog:	Analog
Inch-Metric:	Inch
Delivered:	In a box with stem $\varnothing 3/8"$ (9,52 mm), stylus $\varnothing 0,079"$
Range:	0.01 "
Dial reading:	0-5-0
Graduation:	0.0001"
H MPE (Hysteresis):	0.0001"
R MPE (Repeatability):	$\pm 0.00004"$
MPE first one revolution:	$\pm 0.0002"$
Measuring force:	0,01-0,3 N
Carbide stylus tip $\varnothing 2$ mm No.:	129949
Mass:	50 g
Contact point:	Thread M 1.7 x 0.35
Remarks:	Basic set

Dimensions



Accessories

Optional accessories:



Limit Hands (Green) 2 pcs.

Dial Indicator Series 1, Test Indicator
Art No. 21AAB363

Standard accessories:

Stem

Ø 9,5mm
Art No. 102081

**Stylus for Serie 513**

D= 2mm, 15,2mm Length, Carbide
Art No. 103011
£10.30 ex. VAT

**Spanner R=7,3/4,5mm**

Micrometer
Art No. 301336
£2.00 ex. VAT

