





Dial Test Indicator, Pocket Type

Item number: 513-515-10T

Images





Description

This is a small type Dial Test Indicator (Lever Type) which offers you the following benefits:


- Reversible measuring direction (clutch type)
- Jeweled bearings assure higher sensitivity and accuracy.

Specification

Digital/Analog:	Analog
Inch-Metric:	Metric
Delivered:	In a box with stem $\varnothing 4/8$ mm, stylus $\varnothing 2$ mm, swivel clamp / holding bar (2 pcs.)
Range:	1 mm
Dial reading:	0-50-0
Graduation:	0.01 mm
H MPE (Hysteresis):	4 mm
MPE any 10 scale divisions:	5 μ m
MPE any 1/2 revolution:	8 μ m
MPE measuring range:	10 μ m
R MPE (Repeatability):	3 μ m

Measuring force:	≤ 0,3 N
Carbide stylus tip ø2 mm No.:	136013
Contact point:	Thread M 1.7 x 0.35
Remarks:	Full set

Dimensions



Accessories

Optional accessories:



Limit Hands (Green) 2 pcs.

Dial Indicator Series 1, Test Indicator
Art No. 21AAB363

Standard accessories:



Stem for Pocket Type Serie
513

D=4mm
Art No. 102036
£4.50 ex. VAT




Stem for Serie 513

D= 8mm
Art No. 102822
£4.20 ex. VAT



Stylus for Serie 513

D= 2mm, 41mm Length, Carbide
Art No. 136013
£11.30 ex. VAT



Swivel Clamp

for D= 4/8mm, Dovetail
Art No. 900321
£18.30 ex. VAT



Holding Bar for Swivel Clamp

9x9mm, 100mm Length
Art No. 900209
£11.80 ex. VAT

Holding Bar for Swivel Clamp

D= 8mm, 115mm Length

Art No. 900211

£11.80 ex. VAT



Spanner R=7,3/4,5mm

Micrometer

Art No. 301336

£2.00 ex. VAT

