




2-Point Inside Measuring Instrument

Item number: 526-120-20

Images



Description


This is a two point split contact point ideally suited to smaller bore measurements. It offers you the following benefits:

- A precision bore gauge so you can make quick and accurate measurements of small hole diameters (0.95-18 mm).
- You can replace the analogue indicator fitted to this instrument with a customer-supplied Digimatic indicator if you need.
- The contact point is hard chrome coated.

Features

Inch-Metric:	Inch
Digital/Analog:	Analog
Range:	0.4 - 0.7 "
Graduation:	0.0005"
Repeatability:	2 µm
Measuring depth:	2.4"
No. Dial Indicator:	2922AB
Number of anvils:	8
Accuracy:	4 µm 6 µm for range 0.4-0.7 "
Delivered:	In a box, with dial indicator and cover for dial indicator, without setting ring

Dimensions



Accessories

Optional accessories:

**Stand for Bore Gauge Series 526**

D=60mm Table, 38mm Table Stroke
Art No. 215-120-10
Suggested retail price: 1,178.00 €*

**Digital Indicator, Bore Gauge ID-C**

ASME/ANSI Type, Inch/Metric, 0,5", 0,00005",
Flat Back Plate
Art No. 543-312B-10
Suggested retail price: 563.00 €*

**Limit Hands (green) 2pcs**

Dial Indicator Series 2/3/4
Art No. 21AZB195
Price on application

Standard accessories:



2-Point Inside Measuring Instrument

Bore Gauge for Extra Small Holes, 0,4-0,7",
w/o Indicator

Art No. 526-104

Suggested retail price: **354.00 €***



Dial Gauge, Flat Back, ANSI/AGD Type

0,125", 0,0005"

Art No. 2922AB

Suggested retail price: **107.00 €***



Protector for Indicator (plastic cover)

Art No. 21DZA000

Suggested retail price: **20.00 €***