




Linear Scale AT113

Item number: 539-206-40

Images



Description

These linear scales are built for limited installation space

- Glass scale - Zero not coded
- Expansion factor  $(8 \pm 1) \times 10^{-6}/K^{-1}$
- An armoured inox signal cable is used to connect the DRO counter

Specification

|                              |                                                                       |
|------------------------------|-----------------------------------------------------------------------|
| Model:                       | AT113-350F                                                            |
| Accuracy:                    | High-accuracy type<br>(3+3L/1000) $\mu m$<br>L = Effective range (mm) |
| Output waveform:             | Two 90° phase-shifted sinusoidal signals                              |
| Max. drive speed:            | 120 m/min                                                             |
| Signal period:               | 20 $\mu m$                                                            |
| Scale reference points:      | 50 mm                                                                 |
| Dust/water protection level: | IP53                                                                  |

|                   |          |
|-------------------|----------|
| Cable length:     | 3.5 m    |
| Effective Length: | 350mm    |
| Mass:             | 1.064 kg |

Accessories

Optional accessories:



Extension Cable 2M

Art No. 09AAA033A  
£230.00 ex. VAT



Extension Cable 5M

Art No. 09AAA033B  
£323.00 ex. VAT



Extension Cable 7M

Art No. 09AAA033C  
£381.00 ex. VAT



Linear Scale Counter KA-212

Art No. 174-183D  
£464.00 ex. VAT



## Linear Scale Counter KA-213

Art No. 174-185D

£567.00 ex. VAT